


PALM INTRANET

 Day : Thursday
 Date: 5/18/2006
 Time: 15:48:11

Inventor Information for 10/811639

| Inventor Name | City | State/Country |
|--------------------|-------------------|---------------|
| PALMER, JEFFREY D. | FT. WORTH | TEXAS |
| BEACH, KEVIN C. | N. RICHLAND HILLS | TEXAS |
| DEJONG, MICHAEL | FT. WORTH | TEXAS |

[Appn Info](#) [Contents](#) [Petition Info](#) [Atty/Agent Info](#) [Continuity Data](#) [Foreign Data](#) [Inventors](#)

 Search Another: Application# or Patent#

 PCT / / or PG PUBS #

 Attorney Docket #

 Bar Code #

To go back use Back button on your browser toolbar.

 Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

| | | | | | |
|-------------------------|----------|--|---------|---|--------------------------------------|
| US 20050213897 A1 | 20050929 | Field-installable fusion spliced fiber optic connector kits and methods therefor | 385/95 | 385/55; 385/56; 385/58; 385/60; 385/76; 385/85; 385/96; 385/99 | Palmer, Jeffrey D. et al. |
| US 20050210668 A1 | 20050929 | Tools and methods for field-installable fusion spliced fiber optic connectors | 29/748 | 29/751; 29/828 | Palmer, Jeffrey D. et al. |
| US 20050069264 A1 | 20050331 | Fiber optic connection for applying axial biasing force to multifiber ferrule | 385/59 | | Luther, James P. et al. |
| US 20040152354 A1 | 20040805 | Pin retainer for fiber optic connector and associated fabrication method | 439/378 | | Luther, James P. et al. |
| US 20030027497 A1 | 20030206 | Polishing fixture and method for fiber optic connectors | 451/41 | | Barnes, Brandon A. et al. |
| US 20020186932 A1 | 20021212 | Fiber optic connector and an associated pin retainer | 385/78 | 385/60 | Barnes, Brandon A. et al. |
| US 20010002220 A1 | 20010531 | Field installable multifiber connector | 385/66 | 385/53; 385/58; 385/72 | Throckmorton, Rodney A. et al. |

| | | | | | |
|------------------|----------|---|-----------|--|--------------------------------|
| US 7077576 B2 | 20060718 | Fiber optic connection for applying axial biasing force to multifiber ferrule | 385/59 | 385/55; 385/58; 385/60; 385/66; 385/68; 385/69; 385/76; 385/77; 385/78; 385/84; 385/86 | Luther; James P. et al. |
| US 7036993 B2 | 20060502 | Pin retainer for fiber optic connector and associated fabrication method | 385/53 | 385/64; 385/78; 385/88; 385/92 | Luther; James P. et al. |
| US 6789953 B1 | 20040914 | Optical coupler | 385/73 | | deJong; Michael et al. |
| US 6669377 B2 | 20031230 | Fiber optic connector and an associated pin retainer | 385/78 | 385/53; 385/55; 385/71; 385/72; 385/76 | Barnes; Brandon A. et al. |
| US 6379054 B2 | 20020430 | Field installable multifiber connector | 385/66 | 385/56; 385/65; 385/67 | Throckmorton; Rodney A. et al. |
| US 6173097 B1 | 20010109 | Field installable multifiber connector | 385/59 | 385/56; 385/62; 385/71 | Throckmorton; Rodney A. et al. |
| US 5355830 A | 19941018 | Rechargeable air horn and method of using the same | 116/142FP | 116/DIG.19 | deJong; Michael |
| US 5335703 A | 19940809 | Rechargeable dust-off device and a method of using the device | 141/20 | 134/102.2; 141/18; 141/38; 15/344; 15/406 | deJong; Michael |